




#### Product Information

The lamp uses internationally advanced 4th generation electrical light source i.e. high performance white LED and rechargeable Li-ion battery. It has break through the conventional limitations as usage duration, brightness, weight, runningcost and safety aspect.

# DFL-04 Police Torch

#### Technical Specification

	Item	Unit	Spec
Tieba	LED Power	W	1
Light	Luminous Flux	LM	60
source	Lifetime	h	50,000
	Capacity	mAh	2000
Power	Voltage	V	3.7
source	Charge time	h	≤8
	lifetime	Cycle	500
	Input voltage	V	AC110~240
Charger	Output voltage	V DC4	DC4.5
	Output current	A	1
Lig	ght duration	h	14 / 7
Illun	ninating range	m	30
Ambie	ent temperature	C	-20℃~40℃
Max sur	face temperature	Υ	≤50°C
Dimension		mm	Ф34.5×138.0
Weight(incl cell)		g	186
Explosion-proof marking			Exib II CT4
Enclosure protection classification			IP66







## Joseph & Justa Corportation Ltd.

www.jnjcorp.com.hk 852-3563 6364



#### Product Information

The lamp uses internationally advanced 4<sup>th</sup> generation electrical light source i.e. high performance white LED and rechargeable Li-ion battery. It has break through the conventional limitations as usage duration, brightness, weight, running—cost and safety aspect.

# DFL-02 Mini High-intensity Torch

### Technical Specification

Item		Unit	Spec
Light source	LED Power	W	1
	Luminous Flux	LM	60
	Lifetime	h	50,000
Power source	Capacity	mAh	2000
	Voltage	V	3.7
	Charge time	h	≤8
	lifetime	Cycle	500
Charger	Input voltage	V	AC110~240
	Output voltage	V	DC4.5
	Output current	A	1
Lig	ht duration	h	14 / 7
Illuminating range		m	30
Ambient temperature		C	-20°C∼40°C
Max surface temperature		C	≤50°C
Dimension		mm	Ф32.4×130.5
Weight(incl cell)		g	182
Explosion-proof marking			Exib II CT4
Enclosure protection classification			IP66

